



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200
Fax 613 632-5246

Print

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name	
PO040612	MEC002-VU	21	1	Net 30	M7075T6S1.250X2.000	7075-T6 Sheet 1.250" X 2.000" MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 OR MATERIAL: 7075-T6/T62/T65/ ALCLAD ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A- 250/13 OR AMS 4048 / 4049 OR ASTM B209				25	9/6/2018	25		S108465	Stock	9/6/2018	\$ 0.00 / ft	0		\$0.00	Metaux Castle	
Total:										25		25									\$0.00	

Plex 9/6/2018 4:44 PM dart.Tollis.Andrew



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO040612

Supplier: MEC002-VU
Metaux Castle
P.O. Box 4090 Stn A
Toronto
ON
M5W OE9 Canada

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO040612
PO Date: 7/26/18
Due Date: 8/24/18
**Purchase Order
Revision:**
Revision Date:
Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com
Via: Ground
Pynt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
21 ✓ A		M7075T6S1.250X2.000		7075-T6 Sheet 1.250" X 2.000" MATERIAL: 7075- T6/T62/T651 ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 OR MATERIAL: 7075- T6/T62/T65/ ALCLAD ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A- 250/13 OR AMS 4048 / 4049 OR ASTM B209	Firmed	-	9/6/18	25 ft / JSL	0 ft	25 ft	\$0.00001/ft AT 18/04/06	\$0.00

Line Item Note NOTE: SENT THE WRONG MAT'L NO RMA REQUIRED.
FOR DART TO KEEP NO CHARGE.

Grand Total: \$0.00

CL



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO040612

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 9/6/18 2:44 PM dart.lavoie.chantal



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Pack Slip No:2970356

Ship From: A. M. Castle & Co. Kennesaw 4175 Royal Drive Suite 600 Kennesaw, GA 30144		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 14-AUG-2018	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier UPS	BOL No 2983602
				Delivery No 122008052

Shipment Details

Final Destination Branch -

Order No 5214668	Line No 3	Item No 752114.MO	Description 1.2500.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 2 IN (+ .1250/- .0000 IN) X 30 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
Purchase Order No 40612	Part Number	Ordered Qty 10.00 PCS	Invoice Qty 10.00 PCS

Details

ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S
Email P/s and certs to: clavoie@dartaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS

Mill/Source CONSTELLUM ROLLED PRODUCTS	Heat Number 9413640	Mech ID	PCS 10	Width (IN)	Length (IN)	Shipped Qty (LBS) 77.6285
---	-------------------------------	----------------	------------------	-------------------	--------------------	-------------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

Revised Certification



Constellium


CERTIFIED TEST REPORT
 Constellium Rolled Products
 Ravenswood, LLC

SHIP TO


A M CASTLE & COMPANY

 4175 ROYAL DRIVE
 KENNESAW GA
 30144
 US

SOLD TO

A M CASTLE

 1420 KENSINGTON ROAD, SUITE 220
 OAK BROOK IL
 60523
 US

A M CASTLE		110642461		4075		INCLUSION		Serial: 20180330-0110642461		Pg 3of6	
CUSTOMER PURCHASE ORDER NO. & ITEM 453751						Constellium ORDER NO. 232820					
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.25000 in 31.75 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4049K											
PART NUMBER 752114		B/L NUMBER 97363		DATE SHIPPED 03/31/2018							
WT. SHIPPED 8155.000 LB		NO. OF PIECES 000009		GOVT. CONTRACT NO.							

Tensile - Room Temperature (US)

Direction	Tests	Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
		Min	Max	Min	Max	Min	Max	
LT	02	81.8	82.7	71.5	73.1	12.0	13.0	

Tensile - Room Temperature (SI)

Direction	Tests	Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
		Min	Max	Min	Max	Min	Max	
LT	02	565	570	493	504	12.0	13.0	

Chemistry (Actual)

	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.04	0.10	1.49	0.01	2.52	0.22	5.69	0.02	0.00

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

Lot: 9413640 (See test results below)

Revised Certification



CERTIFIED TEST REPORT **Constellium Rolled Products** **Ravenswood, LLC**

SHIP TO


A M CASTLE & COMPANY

 4175 ROYAL DRIVE
 KENNESAW GA
 30144
 US

SOLD TO

A M CASTLE

 1420 KENSINGTON ROAD, SUITE 220
 OAK BROOK IL
 60523
 US

A M CASTLE		110642461		4075		INCLUSION		Serial: 20180330-0110642461		Pg 1 of 6	
CUSTOMER PURCHASE ORDER NO. & ITEM 453751						Constellium ORDER NO. 232820					
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.25000 in 31.75 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752114		B/L NUMBER 97363		DATE SHIPPED 03/31/2018							
WT. SHIPPED 8155.000 LB		NO. OF PIECES 000009		GOVT. CONTRACT NO.							

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

 ASTM B594 REV 13 2013 100% SONIC W/ 0.12" DEADZONE Class A
 AMS QQ-A-250/12A
 AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
 ASTM B209-14
 BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
 CSTI006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
 DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
 GAMP8 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
 PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

Load Details

Package	Net Lbs	Kg	Lot	Piece	Serial	Parent Lot
1001741719	910.000	412.769	9413641	01		
1001741719	910.000	412.769	9413641	02		
1001741901	905.000	410.501	9413643	01		
1001741901	905.000	410.501	9413643	02		
1001741901	905.000	410.501	9413643	03		
1001741902	905.000	410.501	9413640	01		
1001741904	905.000	410.501	9413639	01		
1001741904	905.000	410.501	9413639	02		
1001741904	905.000	410.501	9413639	03		

Lot: 9413641 (See test results below)


Revised Certification



CERTIFIED TEST REPORT
 Constellium Rolled Products
 Ravenswood, LLC
S
H
I
P
T
O

A M CASTLE & COMPANY

4175 ROYAL DRIVE
KENNESAW GA
30144
USS
O
L
D
T
O

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110642461		4075		INCLUSION		Serial:20180330-0110642461		Pg 2of6	
CUSTOMER PURCHASE ORDER NO. & ITEM 453751						Constellium ORDER NO. 232820			CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 58 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager		
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.25000 in 31.75 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm						
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752114			B/L NUMBER 97363		DATE SHIPPED 03/31/2018						
WT. SHIPPED 8155.000 LB		NO. OF PIECES 000009		GOVT. CONTRACT NO.							

Tensile - Room Temperature (US)								
		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	81.1	81.7	71.1	71.7	12.5	12.5	

Tensile - Room Temperature (SI)								
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	559	563	490	494	12.5	12.5	

Chemistry (Actual)									
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.04	0.10	1.49	0.01	2.52	0.22	5.69	0.02	0.00

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

Lot: 9413643 (See test results below)

P-860-155D REVISED: 01 2018



Revised Certification


CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLCSHIP
TO

A M CASTLE & COMPANY

4175 ROYAL DRIVE
KENNESAW GA
30144
USSOLD
TO

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110642461		4075		INCLUSION		Serial:20180330-0110642461		Pg 4of6	
CUSTOMER PURCHASE ORDER NO. & ITEM 453751						Constellium ORDER NO. 232820					
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.25000 in 31.75 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752114		B/L NUMBER 97363		DATE SHIPPED 03/31/2018							
WT. SHIPPED 8155.000 LB		NO. OF PIECES 000009		GOVT. CONTRACT NO.							
Tensile - Room Temperature (US)											
		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report			
Direction	Tests	Min	Max	Min	Max	Min	Max				
LT	02	82.3	83.8	72.2	73.9	13.0	13.0				
Tensile - Room Temperature (SI)											
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report			
Direction	Tests	Min	Max	Min	Max	Min	Max				
LT	02	567	578	498	510	13.0	13.0				
Chemistry (Actual)											
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR		
Core	0.04	0.10	1.49	0.01	2.52	0.22	5.69	0.02	0.00		
OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER											
All material contained in this lot was cast and manufactured in the USA											
Lot: 9413639 (See test results below)											
P-860-155D REVISED: 01 2018											

Revised Certification



CERTIFIED TEST REPORT **Constellium Rolled Products** **Ravenswood, LLC**

SHIP TO


A M CASTLE & COMPANY

 4175 ROYAL DRIVE
 KENNESAW GA
 30144
 US

SOLD TO

A M CASTLE

 1420 KENSINGTON ROAD, SUITE 220
 OAK BROOK IL
 60523
 US

A M CASTLE		110642461		4075		INCLUSION		Serial: 20180330-0110642461		Pg 5of6	
CUSTOMER PURCHASE ORDER NO. & ITEM 453751						Constellium ORDER NO. 232820			CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager		
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.25000 in 31.75 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm						
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752114			B/L NUMBER 97363		DATE SHIPPED 03/31/2018						
WT. SHIPPED 8155.000 LB		NO. OF PIECES 000008		GOVT. CONTRACT NO.							

Tensile - Room Temperature (US)

Direction	Tests	Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
		Min	Max	Min	Max	Min	Max	
LT	02	83.2	83.5	72.7	73.3	12.0	12.5	

Tensile - Room Temperature (SI)

Direction	Tests	Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
		Min	Max	Min	Max	Min	Max	
LT	02	574	576	501	505	12.0	12.5	

Chemistry (Actual)

	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.04	0.10	1.49	0.01	2.52	0.22	5.69	0.02	0.00

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

 QUALITY TEXTS:
 AMC CA-15403A R 7

Revised Certification: "Also conforms with AMS 4045L, CMMP025 Rev V, AMS-STD-2154C 2017 Type1 CLASS A 100% sonic" - customer request.

"Revision certifies the material properties and condition as it originally left the mill, not as of date of revision".

 RVW QUALITY
 05566-1

 PAB material
 4/12/18

Revised Certification



Accredited
Nadcap
Materials Testing Laboratory

CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P

T
O

A M CASTLE & COMPANY


4175 ROYAL DRIVE
KENNESAW GA
30144
US

S
O
L
D

T
O

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110642461		4075		INCLUSION		Serial:20180330-0110642461		Pg 6of6	
CUSTOMER PURCHASE ORDER NO. & ITEM 453751						Constellium ORDER NO. 232820					
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.25000 in 31.75 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752114		B/L NUMBER 97363		DATE SHIPPED 03/31/2018							
WT. SHIPPED 8155.000 LB		NO. OF PIECES 000009		GOVT. CONTRACT NO.							

THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CHEMISTRY BY OES: ARKSPARK

CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT

WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399

WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557

DUNS Number: 090570149; CAGE Code: 1YW19

Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product.

"END OF CERTIFICATION"

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4048
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER: M7075T6S | TTT | X | W | WWW |
| THK | | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S 063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE: .TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19
ECN 17-574

B	ADD. REF. TO "PLATE", "T651" TEMPER. AMS 4048, OPTIONAL WIDTH DIM (CAR16-119)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
SHEET 1 OF 1			
TITLE 7075-T6 SHEET/PLATE SPEC			
SCALE NTS			
COPYRIGHT © 2010 BY DART AEROSPACE LTD			
THIS DOCUMENT IS PROPRIETARY AND IS SUPPLIED IN THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.			

APPROVED

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 T651.250x2.000

PO / BATCH NO.: P0040612/S108465

DATE: 18/09/06

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 1.250"

QUANTITY RECEIVED: 25 ft

THICKNESS RECEIVED: 1.250"

QUANTITY INSPECTED: 25 ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y N	AMS 4045
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	HT: 9413640
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>At</u>		SIGNED OFF BY: _____	
DATE: <u>18/09/06</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in